







| HALO TOUCH | Finish Availability | | GED 3000 |
|-------------|---------------------|--------------|---------------|
| WESSE WESSE | 15 | Satin Nickel | 9GED30000-003 |
| | 514 | Matte Black | 9GED30000-004 |
| | | | \$943 |
| | | | |






| HALO TOUCHSCREEN | Finisl | n Availability | GED 2500 |
|------------------|--------|----------------|---------------|
| | 15 | Satin Nickel | 9GED25000-003 |
| 1 2 3 4 5 6 | 514 | Matte Black | 9GED25000-004 |
| 7 8 9 ~ 0 m | | | \$860 |
| | | | |









Product can be locked/

unlocked via Bluetooth











| OBSIDIAN | Finish Availability | GED 2300 |
|-------------------------|---------------------|---------------|
| | 514 Matte Black | 9GED23000-001 |
| 1 2 3 4 5 6 7 8 9 | | \$ 710 |



| Smartcode Traditional Keypad | Finish | n Availability | GED 9260 |
|------------------------------|--------|----------------|---------------|
| | 15 | Satin Nickel | 9GED92600-001 |
| 0000 | 514 | Matte Black | 9GED92600-002 |
| | | | \$386 |








| Smartcode Contemporary Keypad | Finish | ı Availability | GED 9260 |
|-------------------------------|--------|----------------|---------------|
| | 15 | Satin Nickel | 9GED92600-003 |
| | 26D | Satin Chrome | 9GED92600-005 |
| | 514 | Matte Black | 9GED92600-004 |
| | | | \$386 |


















| Smartcode Contemporary Touchpad | Finish | n Availability | GED 9270 |
|---------------------------------|--------|----------------|---------------|
| | 15 | Satin Nickel | 9GED92700-003 |
| 123 | 514 | Matte Black | 9GED92700-004 |
| / 0 · | | | \$458 |
| (I) | | | |





















| HANDLESETS | Function | 9471 / 8471 Single Cylinder | 8471 Single Cylinder |
|------------|------------|--------------------------------|-------------------------|
| GROUP A | List Price | \$643 | \$643 |

| SAN CLEMENTE | Finish Availability | GLA8471 SCE/HFL | GA8471 SCE/CBK |
|--------------|---------------------|-----------------|----------------|
| - | 15 Satin Nickel | 9GLA84710-001 | 9GA84710-001 |
| • | 514 Matte Black | 9GLA84710-002 | 9GA84710-002 |
| * | | | |
| | Interior | Halifax | Cambie |



| VANCOUVER | Finish Availability | GLA8471 VNH/HFL |
|-----------|---------------------|-----------------|
| | 15 Satin Nickel | 9GLA84710-004 |
| • | 514 Matte Black | 9GLA84710-005 |
| | | |
| | Interior | Halifax |



| PRAGUE | Finish Availability | GLA8471 PGH/PGL |
|--------|---------------------|-----------------|
| | 15 Satin Nickel | 9GLA84710-014 |
| • | 514 Matte Black | 9GLA84710-015 |
| | | |
| 1 | Interior | Prague |
| | | |



| HANDLESETS | Function | 9471 Single Cylinder |
|------------|------------|-------------------------|
| GROUP B | List Price | \$633 |

| ASHFIELD | Finish Availability | GLA9471 ADH/ADL |
|----------|---------------------|-----------------|
| | 514 Matte Black | 9GLA94710-025 |
| | | |
| 7 | Interior | Ashfield |
| J | | |
| | | |



| AVALON | Finish Availability | GLA9471 AVH/AVL |
|--------|---------------------|-----------------|
| | 11P Venetian Bronze | 9GLA94710-026 |
| 6 | 15 Satin Nickel | 9GLA94710-027 |
| | | |
| | Interior | Avalon |
| | | |



| TAVARIS | Finish Availability | GLA9471 TVH/BRNL |
|---------|---------------------|------------------|
| | 15 Satin Nickel | 9GLA94710-039 |
| | 514 Matte Black | 9GLA94710-038 |
| | | |
| | Interior | Breton |
| V | | |



| HANDLESETS | Function | 9471 Single Cylinder | 9471 Single Cylinder |
|------------|------------|-------------------------|-------------------------|
| GROUP C | List Price | \$582 | \$582 |

| HAWTHORNE | Finish Availability | GLA9471 HE/TC | GA9471 HE/T |
|-----------|---------------------|---------------|--------------|
| | 11P Venetian Bronze | | 9GA94710-043 |
| | 15 Satin Nickel | 9GLA94710-013 | |
| 100 | | | |
| | Interior | Toluca | Troy |
| | | | |



| HERITAGE | Finish Availability | GA9471 H/HT | GA9471 H/P |
|----------|---------------------|--------------|--------------|
| | 3BR Lifetime Brass | 9GA94710-031 | |
| | 5 Antique Brass | 9GA94710-034 | |
| 400 | 15A Antique Nickel | | 9GA94710-035 |
| | | | |
| | Interior | Huntington | Phoenix |

| HANDLESETS | Function | 9471 Single Cylinder | 9471 Single Cylinder |
|------------|------------|-------------------------|-------------------------|
| GROUP C | List Price | \$582 | \$582 |

| AUGUSTA | Finish Availability | GA9471 A/P | GA9471 A/T |
|---------|---------------------|--------------|--------------|
| | 15A Antique Nickel | 9GA94710-012 | |
| | 514 Matte Black | | 9GA94710-020 |
| 9 | | | |
| y | Interior | Phoenix | Troy |
| | | | |



| PRESCOTT | Finish Availability | GLA8471 PTH/TC | GLA8471 PTH/KAL |
|----------|---------------------|----------------|-----------------|
| | 11P Venetian Bronze | 9GLA84710-006 | 9GLA84710-011 |
| • | 15 Satin Nickel | 9GLA84710-007 | 9GLA84710-009 |
| | 514 Matte Black | 9GLA84710-008 | 9GLA84710-010 |
| | | | 6 |
| | Interior | Toluca | Katella |



| HANDLESET | Function | 7771 Handleset Minus |
|-----------|------------|-------------------------|
| MINUS | List Price | \$408 |

| AVALON | Finish Availability | | GLA7771 AVH/AVL15 |
|--------|---------------------|--------------|-------------------|
| | 15 | Satin Nickel | 9GLA77710-006 |
| | | | |
| | | Interior | Avalon |



| HAWTHORNE | Finish Availability | GLA7771 HE/TC11P |
|-----------|---------------------|------------------|
| | 11P Venetian Bronze | 9GLA77710-004 |
| 5 | | |
| | Interior | Toluca |
| | | |



| SAN CLEMENTE | Finish Availability | GLA7771 SCE/HFL |
|--------------|---------------------|-----------------|
| | 15 Satin Nickel | 9GLA77710-007 |
| | 514 Matte Black | 9GLA77710-001 |
| 7 | | |
| | Interior | Halifax |



| HANDLESETS | Function | 7771 Handleset Minus |
|------------|------------|-------------------------|
| MINUS | List Price | \$408 |

| TAVARIS | Finish Availability | GLA7771 TVH/BRNL |
|------------|---------------------|------------------|
| | 15 Satin Nickel | 9GLA77710-009 |
| 4 | | 9 |
| | Interior | Breton |
| D " | | |



| PRESCOTT | Finish Availability | GLA7771 PTH/KAL |
|----------|---------------------|-----------------|
| | 15 Satin Nickel | 9GLA77710-010 |
| | 514 Matte Black | 9GLA77710-011 |
|] | | |
| | Interior | Katella |
| | | |



| LEVERS | Function | 101 Hall/Closet | 535 Keyed Entry |
|----------|---------------------|--------------------|--------------------|
| GROUP A | List Price | \$148 | \$248 |
| | | | |
| ASHFIELD | Finish Availability | GLA 101 ADL | GLA 535 ADL |

9GLA5350-089

9GLA1010-060

MICROBAN[©]

514

Matte Black

| AVALON | Finish . | Availability | GLA 101 AVI | | GLA 535 AVL | |
|-----------------------|----------|--------------|-------------|----|--------------|--|
| | 15 | Satin Nickel | 9GLA1010-0 | 51 | 9GLA5350-090 | |
| | | | | | | |
| MICROBAN [®] | | | | | | |

| LEVERS | Function | 101 Hall/Closet | 535 Keyed Entry |
|---------|------------|--------------------|--------------------|
| GROUP B | List Price | \$129 | \$229 |

| ASPEN | Finish | n Availability | GLA 101 A | GLA 535 A | |
|-------|--------|----------------|--------------|--------------|--|
| | 15 | Satin Nickel | 9GLA1010-041 | 9GLA5350-050 | |

MICROBAN[®]

| LEVERS GROUP C | Function | 101 Hall/Closet | 535 Keyed Entry | |
|-------------------|------------|--------------------|--------------------|--|
| | List Price | \$119 | \$223 | |

| PRAGUE | Finish Availability | GLA 101 PGL | GLA 535 PGL | |
|----------|---------------------|--------------|--------------|--|
| | 15 Satin Nickel | 9GLA1010-137 | 9GLA5350-181 | |
| | 514 Matte Black | 9GLA1010-138 | 9GLA5350-182 | |
| MICROBAN | | | | |

| LEVERS | Function | 101 Hall/Closet | 535 Keyed Entry | |
|---------|------------|--------------------|--------------------|--|
| GROUP D | List Price | \$113 | \$213 | |

| HALIFAX | Finish | n Availability | GLA 101 HFL | GLA535 HFL | |
|-----------------------|--------|-----------------|--------------|--------------|--|
| | 4 | Satin Brass | 9GLA1010-151 | 9GLA5350-185 | |
| | 11P | Venetian Bronze | 9GLA1010-062 | 9GLA5350-091 | |
| MICROBAN [®] | 15 | Satin Nickel | 9GLA1010-063 | 9GLA5350-092 | |
| THEROBIAN. | 26 | Polished Chrome | 9GLA1010-064 | 9GLA5350-093 | |
| | 514 | Matte Black | 9GLA1010-065 | 9GLA5350-094 | |
| | | | | | |

| MILAN | Finish Availability | GLA 101 MIL | GLA 535 MIL |
|-----------------------|---------------------|--------------|--------------|
| | 15 Satin Nickel | 9GLA1010-066 | 9GLA5350-095 |
| | 26D Satin Chrome | 9GLA1010-067 | 9GLA5350-096 |
| MICROBAN [®] | 514 Matte Black | 9GLA1010-126 | 9GLA5350-170 |
| PHCKOBHII. | | | |

| LEVERS | Function | 101 Hall/Closet | 535 Keyed Entry |
|---------|------------|--------------------|--------------------|
| GROUP D | List Price | \$113 | \$213 |

| LISBON | Finish Availability | GLA 101 LSL | GLA 535 LSL |
|-----------------------|---------------------|--------------|---------------------------|
| | 15 Satin Nickel | 9GLA1010-129 | 9GLA5350-173 discontinued |
| | | | |
| MICROBAN [®] | | | |

| KATELLA | Finish | n Availability | GLA 101 KAL | GLA 535 KAL |
|-----------------------|--------|-----------------|--------------|--------------|
| | 11P | Venetian Bronze | 9GLA1010-134 | 9GLA5350-178 |
| | 15 | Satin Nickel | 9GLA1010-132 | 9GLA5350-176 |
| | 514 | Matte Black | 9GLA1010-133 | 9GLA5350-177 |
| MICROBAN [®] | | | | |

| LEVERS | Function | 101 Hall/Closet | 535 Keyed Entry | |
|----------|---------------------|--------------------|--------------------|--------------|
| GROUP E | List Price | \$108 | \$208 | |
| TOLUCA | Finish Availability | GLA 101 TC | GLA 535 TC | |
| | 3 Brass | 9GLA1010-048 | 9GLA5350-067 | discontinued |
| | 11P Venetian Bronze | 9GLA1010-053 | 9GLA5350-076 | |
| | 15 Satin Nickel | 9GLA1010-050 | 9GLA5350-071 | |
| MICROBAN | 514 Matte Black | 9GLA1010-118 | 9GLA5350-147 | |

| KNOBS | Function | 101 Hall/Closet | 531 Keyed Entry | |
|---------|------------|--------------------|--------------------|--|
| GROUP A | List Price | \$122 | \$222 | |

| WICKHAM | Finish Availability | GCA 101 WK | | GCA 531 WK | |
|---------|---------------------|--------------|--------------|--------------|--|
| (Ga | 15 Satin Nickel | 9GCA1010-024 | | 9GCA5310-040 | |
| | 514 Matte Black | 9GCA1010-026 | discontinued | 9GCA5310-048 | |
| | | | | | |

MICROBAN[®]

| KNOBS Group B | Function | 101 Hall/Closet | 531 Keyed Entry |
|------------------|------------|--------------------|--------------------|
| | List Price | \$98 | \$202 |

| PRAGUE | Finish Availability | GLA 101 PGK | GLA 531 PGK | |
|--------|---------------------|-------------|-------------|--|
| | 15 Satin Nickel | 9GA1010-153 | 9GA5310-211 | |
| | 514 Matte Black | 9GA1010-154 | 9GA5310-212 | |
| | | | | |

MICROBAN[®]

| KNOBS | Function | 101 Hall/Closet | 531 Keyed Entry | |
|---------|------------|--------------------|--------------------|--|
| GROUP C | List Price | \$92 | \$192 | |

| CAMBIE | Finish Availability | GA 101 CBK | GA 531 CBK |
|--------|---------------------|-------------|-------------|
| | 15 Satin Nickel | 9GA1010-147 | 9GA5310-188 |
| | 514 Matte Black | 9GA1010-148 | 9GA5310-189 |
| | | | |

MICROBAN[®]

| KNOBS | Function | 101 Hall/Closet | 531 Keyed Entry |
|---------|------------|--------------------|--------------------|
| GROUP D | List Price | \$83 | \$183 |

| HUNTINGTON | Finish Availability | GA 101 HT | | GA 531 HT |
|-----------------------|---------------------|----------------|--------------|-------------|
| | 3 Brass | 9GA1010-017 | discontinued | 9GA5310-055 |
| | 15 Satin Nicke | 9GA1010-020 | | 9GA5310-057 |
| (G) | 26D Satin Chror | ne 9GA1010-022 | | 9GA5310-058 |
| MICROBAN [©] | | | | |

| PHOENIX | Finish | n Availability | GA 101 P | | GA 531 P | |
|-----------------------|--------|-----------------|-------------|--------------|-------------|--------------|
| | 11P | Venetian Bronze | 9GA1010-015 | | 9GA5310-054 | |
| | 15 | Satin Nickel | 9GA1010-011 | | 9GA5310-052 | |
| | 15A | Antique Nickel | 9GA1010-013 | discontinued | 9GA5310-053 | discontinued |
| | | | | | | |
| MICROBAN [®] | | | | | | |

| KNOBS | Function | Hall/Closet | Keyed Entry |
|-----------------------|---------------------|-------------|-------------|
| GROUP E | List Price | \$72 | \$172 |
| | | | |
| TROY | Finish Availability | GA 101 T | GA 531 T |
| | 11P Venetian Bronze | 9GA1010-007 | 9GA5310-050 |
| | 15 Satin Nickel | 9GA1010-003 | 9GA5310-047 |
| | 26D Satin Chrome | 9GA1010-006 | 9GA5310-049 |
| | 514 Matte Black | 9GA1010-009 | 9GA5310-051 |
| MICROBAN [®] | | | |

101

Function

531



discontinued

| UPTOWN GD 1471 | Finisl | n Availability | GD 1471 RDT Single Cylinder |
|-----------------------|--------|----------------|--------------------------------|
| | 15 | Satin Nickel | 9GD14710-018 |
| WEISER | 514 | Matte Black | 9GD14710-024 |
| • | | | \$159 |
| MICROBAN [©] | | | |

| MIDTOWN GD 1471 | Finish | Availability | GD 1471 Single Cylinder |
|-----------------------|--------|--------------|----------------------------|
| | 15 | Satin Nickel | 9GD14710-033 |
| Weiser | 514 | Matte Black | 9GD14710-034 |
| (I) | | | \$159 |
| MICROBAN [©] | | | |

| GCD 9471 | Finish Availability | GCD 9471 Single Cylinder Square Face Latch | |
|-----------------------|---------------------|--|--|
| 1100 | 15 Satin Nickel | 9GCD94710-050 | |
| | 514 Matte Black | 9GCD94710-055 | |
| | | \$148 | |
| MICROBAN [©] | | | |



THE ONLY LOCK YOU CAN RE-KEY IN SECONDS!

What is SmartKey?

SmartKey™ is a technology that allows you to re-key a lock in just seconds while improving security without removing the lock from the door.

How Does it Work?

SmartKey™ has a patented side locking bar technology that replaces the traditional pin and tumbler design. This new design includes BumpGuard™ for improved security against lock-bumping, an attack technique that can defeat traditional pin and tumbler locks.

SUPERIOR SECURITY

It's why we buy locks in the first place. With SmartKey™ technology from Weiser you are guaranteed to have one of the most secure residential deadbolts on the market.

ANSI Graded Deadbolts

Deadbolt locks are rated by an independent agency (ANSI) on a grade scale; with Grade 3 being good, and Grade 1 being the best.

How does SmartKey rate?

All of our SmartKey deadbolts are ANSI rated and approved. In our Collections family of products, many of our SmartKey deadbolts are rated as Grade 1 – providing you with the very best residential security on the market and featuring the highest level of pick resistance available.



Available in All Weiser Keyed Functions







Handlesets



Levers



Knobs

SMARTKEY SECURITY




BEFORE YOU START...

These steps show you how to change from the current key that operates the lock to a new key you want to operate the lock. For new purchases, the current key is the one that was supplied with the lockset.

Be sure to install the product on the door first, prior to rekeying.


These instructions illustrate a deadbolt for demonstration purposes, but these SmartKey rekeying instructions also apply to keyed knobs, levers, and handlesets.

DEFINITIONS




www.weiserlock.com/smartkey






STEP 2 INSERT AND REMOVE SMART KEY TOOL



STEP 3 LEARN NEW KEY





Slow the Growth of Bacteria

Weiser* and Microban*, the global leader in built-in antimicrobial protection, have teamed up to improve the standard for door hardware. Weiser* offers antimicrobial protection on select products, inhibiting the growth of bacteria on frequently touched door hardware in the home.

Benefits of Door Hardware with Microban Technology


Bacteria can double every 20 minutes on unprotected surfaces, but door hardware with Microban protection works to continuously fight off microbes.

- Door hardware is 99.9% cleaner than knobs without Microban
- The antimicrobial coating last for the lifetime of the hardware finish, so you can worry less and feel more secure in your home.
- 24/7 Antimicrobial protection
- Microban protection is effective against a broad spectrum of bacteria

Microban finish is available on select products.

Look for the Microban sticker:





Weiser Tubular Hardware





Halo WiFi Touchscreen Satin Nickel Matte Black



SmartCode Traditional Touchpad Satin Nickel Matte Black



SmartCode Contemporary Touchpad Satin Nickel Matte Black



SAN CLEMENTE Halifax Satin Nickel Matte Black



SAN CLEMENTE CambieSatin Nickel
Matte Black



VANCOUVER Halifax Satin Nickel Matte Black



PRAGUE Prague Satin Nickel Matte Black



HALIFAX Satin Nickel Matte Black Venetian Bronze Polished Chrome



MILAN Satin Nickel Matte Black Satin Chrome



PRAGUE Satin Nickel Matte Black



TOLUCASatin Nickel
Matte Black
Venetian Bronze



CAMBIESatin Nickel
Matte Black



PRAGUESatin Nickel
Matte Black



WICKHAM Satin Nickel Matte Black



TROYSatin Nickel
Matte Black
Venetian Bronze



DOWNTOWN GD 1471 Satin Nickel Matte Black Polished Chrome Venetian Bronze



UPTOWN GD 1471Satin Nickel
Matte Black



MIDTOWN GD 1471 Satin Nickel Matte Black



GCD 9471 Satin Nickel Matte Black





BERLIN Handle Sets – 65mm Plate 17mm thick - 475mm long



Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware. For color selection, material samples are available on request.

HEAD OFFICE

Ferco Architectural Hardware Inc.

2000, Berlier St. Laval, QC H7L 4S4 Tel.: 450 973-1437 1 800 355-8810

Fax: 450 973-7661 ferco@ferco.ca www.ferco.ca

ONTARIO / WESTERN PROVINCES

Tel.: 905 282-9588 1 800 668-5310 Fax: 905 282-9915 **UNITED STATES**

Tel.: 1 800 927-1097 Fax: 1 888 454-0161













GU-SECURY Automatic Lock



SIMPLY CLOSE THE DOOR

European technology in a North American Lock.

By simply closing the door the upper and lower 3/4" (20 mm) latchbolts will instantly engage.

By turning the key from outside or the knob from inside it will engage the 1" central deadbolt and block the top and bottom latchbolts to become a 3-deadbolts locking system.

The Advantages

- 1 The top and bottom 3/4" (20mm) tempered steel latchbolts always engage behind the keepers upon closing the door:
 - give more security
 - give better weather sealing performance
 - help reduce door warpage
- No lifting of the handle to engage locking points
- 2 1" (25mm) central deadbolt
- 90 degree rotation of thumbturn or US-cylinder engages the deadbolt
- 4 Reversible latch
- High grade 16mm Stainless Steel faceplate for higher corrosion resistance. Radius ends for a clean look and easy installation
- Available in 50 and 60mm backsets for 6'8" and 8' doors. Extension with additional lock point is available for doors taller than 8'













BERLIN Grip Set Handle for SECURY Automatic Door Lock



Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware. For color selection, material samples are available on request.

HEAD OFFICE

Ferco Architectural Hardware Inc.

2000, Berlier St. Laval, QC H7L 4S4 Tel.: 450 973-1437 1 800 355-8810

Fax: 450 973-7661 ferco@ferco.ca www.ferco.ca

ONTARIO / WESTERN PROVINCES

Tel.: 905 282-9588 1 800 668-5310 Fax: 905 282-9915 **UNITED STATES**

Tel.: 1 800 927-1097 Fax: 1 888 454-0161













GU-SECURY Automatic Lock



SIMPLY CLOSE THE DOOR

European technology in a North American Lock.

By simply closing the door the upper and lower 3/4" (20 mm) latchbolts will instantly engage.

By turning the key from outside or the knob from inside it will engage the 1" central deadbolt and block the top and bottom latchbolts to become a 3-deadbolts locking system.

The Advantages

- 1 The top and bottom 3/4" (20mm) tempered steel latchbolts always engage behind the keepers upon closing the door:
 - give more security
 - give better weather sealing performance
 - help reduce door warpage
- No lifting of the handle to engage locking points
- 2 1" (25mm) central deadbolt
- 90 degree rotation of thumbturn or US-cylinder engages the deadbolt
- 4 Reversible latch
- High grade 16mm Stainless Steel faceplate for higher corrosion resistance. Radius ends for a clean look and easy installation
- 6 Available in 60mm backsets for 6' 8" and 8' doors. Extension with additional lock point is available for doors taller than 8'







Multi-Point Hardware



Berkeley Roma

Available finishes: Satin Nickel, Dark Bronze, Pewter, Black

Bluetooth Dana Lock with Keypad





Compatible with: Berkeley, Roma, Belcanto, Country and Miami ONLY


Belcanto

1 danalock


Pull Handles



Available sizes: 48", 60" & 72"
Available finishes: Stainless Steel, Black



Available finishes: Polished Brass, Antique Brass, Oil Rubbed Bronze, Satin Nickel, Dark Bronze, Pewter, Black



Available finishes: Satin Nickel, Black Matte



Available finishes: Satin Nickel, Pewter, Black









SECURY Automatic Door Lock

with Latch, Deadbolt and 2 Automatic Latchbolts









| SECURY Automatic Door Lock for Gripset Handle | | | | | |
|---|---------|-------|----|-----------------|--|
| Description | Backset | Color | PU | Part Number | |
| Door lock for 6' 8" doors | 60mm | SS | 5 | 6-35185-01-R-8B | |
| Door lock for 8' doors | 60mm | SS | 5 | 6-35185-02-R-8B | |
| PU = Packaging Unit | | | | | |

Simply Close the Door!

As soon as the door pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them being forced back. By turning the key or the knob, it will engage the deadbolt and lock the top and bottom latchbolts to become a **3 deadbolts locking system**.

Additional information

- 3-point, one piece locking system for 6' 8" and 8' doors
- Heavy duty mortise construction
- Locking by US-cylinder with 90° turn of key or thumb-turn
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolts projection from 10 to 20mm:
 - provide security against forced entry
 - protect the door panel from warping
- 1" (25mm) drow on deadbolt with baby sitting function
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- Handle height variable (36" recommended)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Extension with additional lock point is available for doors taller than 8' (6-33479-04-0-8B)
- To be used with gripset handle

USE WITH GRIPSET HANDLES ONLY

Automatic Extension

with Additional Latchbolt









| Extension with Additional Latchbolt | | | | | |
|-------------------------------------|-----------------|----|-----------------|--|--|
| Description | Color | PU | Part Number | | |
| 525mm extension with rounded end | Stainless Steel | 5 | 6-33479-04-0-8B | | |
| * = Color PU = Packaging Unit | | | | | |

Additional information

- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with SECURY Automatic door Locks

SALEM

Solid Brass Gripset Handle







| Description | | PU | Part Number |
|--|------------|---------|----------------|
| Gripset active for 45mm (1 3/4") (cylinder included) | thick door | 1 | K-C2060-00-0-* |
| *: | = Color | PU = Pa | ckaging Unit |



- Solid forged brass
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Non-handed
- Easy to install
- Weather proof gasket
- Stainless steel set screw on interior lever to secure handle
- Easily converts to inactive handle, use dummy conversion kit K-C2056-00-0-*
- For 13/4" thick doors
- For 2 1/4" thick doors, use actuator conversion kit K-C2054-57-0-0
- Use with SECURY Automatic gears: 6-35185-01-R-8B and 6-35185-02-R-8B

BERKELEY

Solid Brass Gripset Handle







| BERKELEY S | Series | | | | |
|---|--------|---------------|--------|---------|----------------|
| Description | | | | PU | Part Number |
| Gripset active (cylinder inclu | | . 3/4") thicl | k door | 1 | K-C2070-00-0-* |
| | | * = Co | or | PU = Pa | ckaging Unit |
| 01 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter, 6 = Black | | | | | |
| | 01 | 25 | 28 | 6 | 5 |
| | B | B | | | 5 |

Additional information

- Solid forged brass
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Non-handed
- Easy to install
- Weather proof gasket
- Stainless steel set screw on interior lever to secure handle
- Easily converts to inactive handle, use dummy conversion kit K-C2056-00-0-*
- For 13/4" thick doors
- For 2 1/4" thick doors, use actuator conversion kit K-C2054-57-0-0
- Use with SECURY Automatic gears: 6-35185-01-R-8B and 6-35185-02-R-8B









SECURY Automatic Door Lock

with Latch, Deadbolt and 2 Automatic Latchbolts









| SECURY Automatic Door Lock for Lever Handle | | | | | |
|---|---------|-------|----|-----------------|--|
| Description | Backset | Color | PU | Part Number | |
| Door lock for 6' 8" doors | 45mm | SS | 5 | 6-35856-01-R-8B | |
| Door lock for 8' doors | 45mm | SS | 5 | 6-35856-02-R-8B | |
| Door lock for 6' 8" doors | 50mm | SS | 5 | 6-36033-01-R-8B | |
| Door lock for 8' doors | 50mm | SS | 5 | 6-36033-02-R-8B | |
| Door lock for 6' 8" doors | 60mm | SS | 5 | 6-35565-01-R-8B | |
| Door lock for 8' doors | 60mm | SS | 5 | 6-35565-02-R-8B | |
| PU = Packaging Unit | | | | | |

Simply Close the Door!

As soon as the door pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them being forced back. By turning the key or the knob, it will engage the deadbolt and lock the top and bottom latchbolts to become a **3 deadbolts locking system**.

Additional information

- 3-point, one piece locking system for 6'8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolts projection from 10 to 20mm:
 - provide security against forced entry
 - help prevent air infiltration from gasket
 - protect the door panel from warping
- 1" (25mm) throw on deadbolt with baby sitting function
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- Handle height variable (36" recommended)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Extension with additional lock point is available for doors taller than 8' (6-33479-04-0-8B)
- To be used with lever handle set (US-cylinder above handle)

USE WITH LEVER HANDLES ONLY


Automatic Extension

with Additional Latchbolt









| Extension with Additional Latchbolt | | | | | |
|-------------------------------------|-----------------|---------|-----------------|--|--|
| Description | Color | PU | Part Number | | |
| 525mm extension with rounded end | Stainless Steel | 5 | 6-33479-04-0-8B | | |
| | * = Color | PU = Pa | ckaging Unit | | |

Additional information

- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door Locks

ALLEGRO - TORINO Handles & 30mm Plates

Solid Brass Series








Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle





| TORINO Trim Kits | | |
|---|---------|----------------|
| Description | PU | Part Number |
| Handle sets for active doors with US-cylinder | 1 | K-U3492-01-0-* |
| Handle sets for semi-active doors | 1 | K-U3446-00-0-* |
| Handle sets for fixed doors | 1 | K-U3410-00-0-* |
| * = Color | PU = Pa | ckaging Unit |
| 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Br 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bro 01 03 04 05 11 | | = Pewter |
| K-U3492-01-0-* K-U3446-00-0-* | | K-U3410-00-0-* |

VENICE Handle & 30mm Plate

Solid Brass Series



K-U3610-00-0-*





| Description | | | PU | Part | Part Number | |
|--|---------------|-------------|-----------|---------------------|----------------|--|
| Handle sets for active doors with US-cylinder | | | 1 | K-U3692-01-0-* | | |
| Handle sets for semi-active doors | | | 1 | K-U3 | K-U3646-00-0-* | |
| Handle sets for fixed doors | | | 1 | K-U3610-00-0-* | | |
| | * = Color | | | PU = Packaging Unit | | |
| 01 = Satin Chrome, 02 = Polished 05 = Oil Rubbed Bronze, 11 = Sat | tin Nickel, 2 | !5 = Dark I | Bronze, 2 | 8 = Pewt | er | |
| 01 02 03 | 04 | 05 | 11 | 25 | 28 | |

K-U3646-00-0-*

Additional information

K-U3692-01-0-*

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

CAPRI – TORINO Handles & 45mm Plates

Solid Brass Series








Additional information


- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors



CAPRI Trim Kits Description PU Part Number K-U6292-01-0-* Handle sets for active doors with US-cylinder 1 Handle sets for semi-active doors 1 K-U6246-00-0-* Handle sets for fixed doors 1 K-U6210-00-0-* PU = Packaging Unit * = Color 01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter 03 04



| Description | PU | Part Number | | |
|---|----|----------------|--|--|
| Handle sets for active doors with US-cylinder | 1 | K-U6492-01-0-* | | |
| Handle sets for semi-active doors | 1 | K-U6446-00-0-* | | |
| Handle sets for fixed doors | | K-U6410-00-0-* | | |
| * = Color | | ackaging Unit | | |
| 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter | | | | |
| 01 03 04 05 11 | 25 | 28 | | |
| | | | | |



VENICE Handle & 45mm Plate


Solid Brass Series







| VENICE Trim Kits | | | | | |
|--|----------------|---------|--------|--------|------------|
| Description | | | PU | Part | Number |
| Handle sets for active doors | s with US-cyli | nder | 1 | K-U6 | 692-01-0-* |
| Handle sets for semi-active | doors | | 1 | K-U6 | 646-00-0-* |
| Handle sets for fixed doors | | | 1 | K-U6 | 610-00-0-* |
| * = Color | | PU = Pa | ckagin | g Unit | |
| 01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter | | | | | |
| 01 02 03 | 04 | 05 | 11 | 25 | 28 |



- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

ROMA Handle & 55mm Plates

Solid Brass Series








| ROMA Trim Kits | | |
|---|---------|----------------|
| Description | PU | Part Number |
| Handle sets for active doors with US-cylinder | 1 | K-U4092-01-0-* |
| Handle sets for semi-active doors | 1 | K-U4046-00-0-* |
| Handle sets for fixed doors | 1 | K-U4010-00-0-* |
| * = Color | PU = Pa | ckaging Unit |





- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

ALLEGRO – TORINO Handles & 30mm Plates

Zamac Series







| ALLEGRO Trim Kits | | |
|--|---------|-----------------|
| Description | PU | Part Number |
| Handle sets for active doors with US-cylinder | 1 | K-U5192-Z1-0-* |
| Handle sets for semi-active doors | 1 | K-U5146-Z0-0-* |
| Handle sets for fixed doors | 1 | K-U5110-Z0-0-* |
| * = Color | PU = Pa | ckaging Unit |
| 01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 | = White | PC, 28 = Pewter |
| 01 5 6 7 | 28 | |
| K-U5192-Z1-0-* K-U5146-Z0-0-* | | K-U5110-Z0-0-* |

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle



| Description | | PU | Part Number |
|-----------------------------|---------------------|--------|----------------|
| Handle sets for active door | rs with US-cylinder | 1 | K-U5492-Z1-0-* |
| Handle sets for semi-active | e doors | 1 | K-U5446-Z0-0-* |
| Handle sets for fixed doors | 5 | 1 | K-U5410-Z0-0-* |
| | * = Color | PU = P | ackaging Unit |
| | | | |
| | | | |

VENICE Handles & 30mm Plates


Zamac Series







| VENICE Trim Kits | | |
|--|---------|-----------------|
| Description | PU | Part Number |
| Handle sets for active doors with US-cylinder | 1 | K-U5692-Z1-0-* |
| Handle sets for semi-active doors | 1 | K-U5646-Z0-0-* |
| Handle sets for fixed doors | 1 | K-U5610-Z0-0-* |
| * = Color | PU = Pa | ackaging Unit |
| 01 = Satin Chrome. 5 = Dark Bronze PC. 6 = Black PC. 7 | = White | PC. 28 = Pewter |



- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

CAPRI – TORINO Handles & 45mm Plates

Zamac Series







| CAPRI Trim Kits | | | |
|---|---|----|----------------|
| Description | | PU | Part Number |
| Handle sets for active do | Handle sets for active doors with US-cylinder | | K-U7292-Z1-0-* |
| Handle sets for semi-activ | ve doors | 1 | K-U7246-Z0-0-* |
| Handle sets for fixed doo | rs | 1 | K-U7210-Z0-0-* |
| * = Color PU = Packaging Unit | | | |
| 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC | | | |
| 5 6 7 | | | |
| © (†) (†) (*) (*) (*) (*) (*) | K-U7246-Z0-0-* | | K-U7210-Z0-0-* |

- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle



| Description | | PU | Part Number |
|--------------------------------|------------------|----|----------------|
| Handle sets for active doors | with US-cylinder | 1 | K-U7492-Z1-0-* |
| Handle sets for semi-active of | doors | 1 | K-U7446-Z0-0-* |
| Handle sets for fixed doors | | 1 | K-U7410-Z0-0-* |
| * = Color PU = Packaging Unit | | | |
| 01 | 5 6 7 | 28 | |
| | | | (a) |

VENICE Handle & 45mm Plate

Zamac Series








| VENICE Trim Kits | | |
|---|---------|----------------|
| Description | PU | Part Number |
| Handle sets for active doors with US-cylinder | 1 | K-U7692-Z1-0-* |
| Handle sets for semi-active doors | 1 | K-U7646-Z0-0-* |
| Handle sets for fixed doors | 1 | K-U7610-Z0-0-* |
| * = Color | PU = Pa | ackaging Unit |
| 01 - Satin Chrome 5 - Dark Bronze PC 6 - Black PC 7 | - White | DC 28 - Dowtor |





- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

ROMA Handle & 55mm Plates


Zamac Series







| ROMA Trim Kits | | | | |
|----------------------------------|---------------|---------|----------------|--|
| Description | | PU | Part Number | |
| Handle sets for active doors wit | h US-cylinder | 1 | K-U9092-Z1-0-* | |
| Handle sets for semi-active doo | rs | 1 | K-U9046-Z0-0-* | |
| Handle sets for fixed doors | | 1 | K-U9010-Z0-0-* | |
| | * = Color | PU = Pa | ckaging Unit | |
| 6 = Black PC | | | | |



- Unassembled Zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VIKING – ROMANCE Handles & 40mm Plates

Antique Series







| VIKING Trim Kits | | | |
|----------------------------|---------------------|--------|----------------|
| Description | | PU | Part Number |
| Handle sets for active doo | rs with US-cylinder | 1 | K-C9718-US-0-* |
| Handle sets for semi-activ | e doors | 1 | K-C9708-46-0-* |
| Handle sets for fixed door | S | 1 | K-C9708-00-0-* |
| | * = Color | PU = P | ackaging Unit |
| 6 = Black, 08 = Pewter | | | |
| | 6 08 | | |
| K-C9718-US-0-* | K-C9708-46-0-* | C | K-C9708-00-0-* |

- Unassembled trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle



| ROMANCE Trim Kits | | | |
|-----------------------------|---------------------|--------|----------------|
| Description | | PU | Part Number |
| Handle sets for active door | rs with US-cylinder | 1 | K-C9719-US-0-* |
| Handle sets for semi-active | e doors | 1 | K-C9709-46-0-* |
| Handle sets for fixed doors | 5 | 1 | K-C9709-00-0-* |
| | * = Color | PU = P | ackaging Unit |
| 6 = Black, 08 = Pewter | | | |
| | 6 08 | | |
| K-C9719-US-0-* | K-C9709-46-0-* | | K-C9709-00-0-* |

Strike Plates

for Door Lock







| Description | | | | PU | Pai | rt Number |
|--|-------|-------|----|---------|------|-------------|
| Latchbolt strike plate for 45mm (1 3/4") thick doors | | | | 100 | 9-0 | 4776-45-0-* |
| Latchbolt strike plate for 57mm (2 1/4") thick doors | | | | 100 | 9-0 | 4776-57-0-* |
| | * = 0 | Color | | PU = Pa | ckag | ing Unit |
| 03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter | | | | | | |
| 03 04 | 5 | 6 | 11 | 25 | | 28 |
| 03 04 | 5 | 6 | 11 | 25 | | 28 |

Additional information

- Solid brass or stainless steel
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock



| Description | | | | | PU | Part Number |
|--|------|---|----|----------------|----------------|-------------|
| Latch and deadbolt strike plate for 45mm (1 3/4") thick doors | | | | 50 | 9-C4777-45-0-* | |
| Latch and deadbolt strike plate for 57mm (2 1/4") thick doors | | | 50 | 9-C4777-57-0-* | | |
| * = Color | | | | PU = Pa | ckaging Unit | |
| 03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter | | | | | | |
| 03 | 04 | 5 | 6 | 11 | 25 | 28 |
| | (80) | | | | | |

- Solid brass or stainless steel
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks









Astragal Mortise Lock

Backset Adjustable for Astragal 16 - 28mm







| Astragal Mortise Lock | | | |
|-----------------------|-----------|---------|----------------|
| Description | Color | PU | Part Number |
| Mortise lock | Zinc | 10 | 6-C7250-19-0-0 |
| | * = Color | PU = Pa | ckaging Unit |

Additional information

- Used on the inactive panel of double doors, french doors and garden doors
- Shoot extends to 25mm adjustable
- Non-handed mechanism
- 16mm faceplate with radius ends for easy installation and cleaner look
- Backset adjustable for astragal 16mm to 28mm
- Use with 10mm rods

| (Pa | 0 |
|-------|------------|
| | |
| | |
| | |
| | Н |
| (£) | 5 |
| | |
| 6-C72 | 260-00-0-* |

| Description | Color | PU | Part Number | | |
|-------------------------------|-----------------|----|-----------------|--|--|
| Faceplate | Dark Bronze PC | 50 | 6-C7260-00-0-5 | | |
| | Black PC | 50 | 6-C7260-00-0-6 | | |
| | Stainless Steel | 50 | 6-C7260-00-0-8B | | |
| * = Color PU = Packaging Unit | | | | | |
| 5 6 8B | | | | | |

- 16mm stainless steel 304 faceplate
- Use with astragal mortise lock (6-C7250-19-0-0)
- Supplied with installations screws

Driving Rods

for Mortise Lock







| Top and Bottom Rods | | | | | | |
|--|-------------------|---------|----------------|--|--|--|
| Description | Color | PU | Part Number | | | |
| Top rods without thread | | | | | | |
| 641mm (25 1/4") long for door slab 79" | Bichromated | 10 | 9-C5212-00-0-3 | | | |
| 1047mm (41 1/4") long for door slab 95" | Bichromated | 10 | 9-C5214-00-0-3 | | | |
| Top rods with thread | | | | | | |
| 603mm (23 3/4") long | Bichromated | 10 | 9-U1011-00-0-3 | | | |
| 654mm (25 3/4") long | Bichromated | 10 | 9-U1012-00-0-3 | | | |
| 705mm (27 3/4") long | Bichromated | 10 | 9-U1013-00-0-3 | | | |
| 1010mm (39 3/4") long | Bichromated | 10 | 9-U1014-00-0-3 | | | |
| 1194mm (47") long | Bichromated | 10 | 9-U1020-00-0-3 | | | |
| 1619mm (63 3/4") long | Bichromated | 10 | 9-U1015-00-0-3 | | | |
| Bottom rod with thread – Mort | ise lock height 1 | L280mm | 1 | | | |
| 1200mm (47 1/4") long | Bichromated | 10 | 9-U1010-00-0-3 | | | |
| _ | * = Color | PU = Pa | ckaging Unit | | | |

- Made of steel
- 10mm diameter rods
- May be cut to size
- Use with astragal mortise lock (6-C7250-19-0-0)

Guides & Strike Cups


for Driving Rods







| Guide for Top and Bottom Rods | | | | | |
|-------------------------------|-----------|---------|-----------------|--|--|
| Description | Color | PU | Part Number | | |
| Guide | SS | 1 | 9-C4310-00-0-8B | | |
| | * = Color | PU = Pa | ckaging Unit | | |



| Guide for Top and Bottom Rods | | | | | |
|-------------------------------|-----------|---------|----------------|--|--|
| Description | Color | PU | Part Number | | |
| Guide | Black | 1 | 9-C0540-00-0-0 | | |
| | * = Color | PU = Pa | ckaging Unit | | |



| Strike Cup – Ø10 x 22mm | | | | |
|---|-----------|---------|----------------|--|
| Description | Color | PU | Part Number | |
| Solid brass 22mm sleeve for shoot bolts | Brass | 10 | 9-29525-00-0-0 | |
| | * = Color | PU = Pa | ckaging Unit | |





| Adjustable Strike Cups 22 and 27mm | | | | | |
|------------------------------------|-----------|---------|----------------|--|--|
| Description | Color | PU | Part Number | | |
| 22mm sleeve for shoot bolts | Black | 100 | 9-C4306-22-0-0 | | |
| 27mm sleeve for shoot bolts | Black | 100 | 9-C4306-27-0-0 | | |
| | * = Color | PU = Pa | ckaging Unit | | |

- Made of reenforced nylon
- In and out adjustment of 1mm
- Allow a lateral movement of ±2.8mm
- Possible reach of 5mm